

SU  PTICS

ULTIMATE AIMING SOLUTION
PRECISELY LOCK IN EXACTLY WHERE YOU WANT YOUR SHOTS TO LAND

TEAMACTUS.COM





CONTENTS

04 | ACTUS™ REFLEX SIGHT

- 06 ADVANTAGE
- 08 FEATURE
- 09 SPECIFICATION

10 | ACTUS™ MAGNIFIER

- 12 ADVANTAGE
- 13 SPECIFICATION

14 | ACTUS™ PRECISION RIFLESCOPE

- 16 FEATURE
- 17 ADVANTAGE
- 18 SPECIFICATION

19 | ACTUS™ 4X PRISM SCOPE : PARA-4XS NEW PRODUCT

20 | ACTUS™ PISTOL SIGHT : CORE-3 NEW PRODUCT

22 | ACTUS™ TACTICAL IR STROBE : BANDI NEW PRODUCT

24 | ACTUS™ PRCWS : SORA-1 NEW PRODUCT

26 | ACTUS™ MUZZLE BORESIGHT : M26A2 NEW PRODUCT





ACTUS™ REFLEX SIGHT

ACTUS dot-sight is an optical equipment with excellent performance and durability as the "equipment selected as Warrior Platform" of the Republic of Korea Army (ROKA).

It is a MIL-SPEC equipment that meets military requirements such as extreme high and low temperature tests, impact tests, waterproofing, and fluid contamination. It protects the life and safety of users between missions, and helps to shoot quickly and accurately.

ADVANTAGE

WEDGE-TYPE LENSES APPLIED

By applying our own patented technology lens, the occurrence of parallax was minimized and keystone distortion was alleviated.






AL7075-T6 MATERIAL USED

Using 7075 material with high tensile strength and hardness, it has excellent durability against external impact.



FEATURES

ACTUS™ REFLEX SIGHT



SPECIFICATION

ACTUS™ REFLEX SIGHT



MIL-SPEC

CORE-1



MIL-SPEC

CORE-2



PARA-1

SIZE	1.95*2.6*3.85 (in)	1.72*2.6*2.8 (in)	1.78*1.62*2.97 (in)
WEIGHT	7.86 oz	6.04 oz	6.07 oz
POWER SOURCE	AAA BATTERY * 1 EA	CR2032 * 1 EA	CR2032 * 1 EA
BATTERY LIFE	65,000 hrs / Lv 7 450 hrs / Lv 11 (max)	50,000 hrs / Lv 6 180 hrs / Lv 11 (max)	30,000 hrs / Lv 6 180 hrs / Lv 11
MATERIAL	7075-T6 ALUMINUM(FORGED)	7075-T6 ALUMINUM(FORGED)	HIGH QUALITY ALUMINUM ALLOY
OBJECTIVE LENS	1x , 20mm	1x , 20mm	1x , 18mm
RETICLE	2 MOA (RED)	2 MOA (RED)	2 MOA (RED)
MOUNT	MIL-STD-1913 PICATINNY RAIL	MIL-STD-1913 PICATINNY RAIL	MIL-STD-1913 PICATINNY RAIL






ACTUS™ HIGH PERFORMANCE MAGNIFIER


It is an essential equipment that can subdue the target with quick and accurate fire on close/medium-range targets in a dire operation environment.

3x magnifying glass guarantees mission performance conditions by supporting near/-far-range precision shooting in changing operational situations.

ADVANTAGE



1x at 100yard




3x at 100 yard

3X HIGH-PERFORMANCE MAGNIFICATION SWITCHING FUNCTION

The ACTUS dot sight was designed to be operated with 3X high-performance magnifying glass. You can quickly and easily switch from 1x to 3x when operating with a 3X high-performance magnifying glass.

SPECIFICATION

ACTUS™ HIGH PERFORMANCE MAGNIFIER



MIL-SPEC

PARA-3



MIL-SPEC

PARA-3M

LENGTH	3.78 (in)	2.95 (in)
WEIGHT	10.37 oz	9.52 oz
FIELD OF VIEW	7.6°	7.0°
MATERIAL	7075-T6 ALUMINUM(FORGED)	7075-T6 ALUMINUM(FORGED)
EYE RELIEF	2.35" (6.00cm)	2.65" (6.75cm)
DIOPTER	±2.00	±2.00
MOUNT	MIL-STD-1913 PICATINNY RAIL	MIL-STD-1913 PICATINNY RAIL





ACTUS™ PRECISION RIFLESCOPE


The ACTUS™ riflescope is designed and built to meet the needs of professional users in a variety of environments based on durability and precision.

It will give you accurate shots at the moment that matters most. Riflescope features a first focal plane (FFP) optical design that allows for fast and accurate target coverage at various magnifications, and illuminated reticles allow smooth targeting at low altitude at dawn or at dusk.

The ACTUS riflescope will be the best sight to meet the needs of users in various operational environments.

FEATURES

ACTUS™ PRECISION RIFESCOPE



ADVANTAGE

ACTUS™ PRECISION RIFLESCOPE

OUTSTANDING OPTICAL PERFORMANCE

Side focus Knob, for precise aiming by distance

Illuminated reticle, that ensures high accuracy even in low light

Fully multi-coated lens, that implements unmatched light transmission and color

DESIGN STRUCTURE

Waterproof, internal moisture and impact resistant design

With 11 levels of brightness setting, it is possible to adjust the brightness to suit the surrounding environment.

CLICK

With the ZERO RESET function, you can adjust the click according to the user.

It is designed with an exterior size that is easy to adjust the click.



SIDE-FOCUS

Accurate focusing by distance



ANTI-FOG

Nitrogen gas filling prevents internal fogging at operating temperature



WATERPROOF

Integral tube and O-ring structure prevent moisture and dust from entering the scope



ANTI-REFLECTION LENS

XC high-density low-dispersion glass with anti-reflection coating lens maximizes clarity through efficient light transmission. With a single structure eyepiece, it is also waterproof and impact-resistant.




IMPACT RESISTANCE

With robust design, it is also impact resistant due to vibration.




MIL-SPEC
ARKS16
1-6x 24mm SFP

Length : 10.2" | Weight : 16.5oz
Tube size : 30mm | Eyepiece : 3.6"
FOV : 1X @ 100ft / 6X @ 16ft | Illuminated reticle



MIL-SPEC
ARKS18
1-8x 24mm SFP

Length : 10.2" | Weight : 16.5oz
Tube size : 30mm | Eyepiece : 3.6"
FOV : 1X @ 100ft / 8X @ 13ft | Illuminated reticle




ARKS11
1-10x 28mm FFP

Length : 11.3" | Weight : 22.5oz
Tube size : 30mm | Eyepiece : 4.1"
FOV : 1X @ 103ft / 10X @ 10ft | Illuminated reticle




SA4164
4-16x 44mm
FFP-SFP

Length : 13.9" | Weight : 23.0oz
Tube size : 30mm | Eyepiece : 3.6"
FOV : 4X @ 23ft / 16X @ 6ft | Side Focus




SA5204
5-20x 44mm
FFP-SFP

Length : 14.0" | Weight : 24.0oz
Tube size : 30mm | Eyepiece : 3.7"
FOV : 5X @ 19ft / 20X @ 5ft | Side Focus



SA6245
6-24x 50mm
FFP-SFP

Length : 14.8" | Weight : 25.7oz
Tube size : 30mm | Eyepiece : 3.7"
FOV : 6X @ 16ft / 24X @ 4ft | Side Focus



SPECIFICATION

ACTUS™ PRISM SCOPE

PARA-4XS

NEW PRODUCT

4x 28mm Prism scope

Size	3.9*2.6*5.1 (inch)
Magnification	4x
Objective lens	28.0mm
Exit Pupil	7.0mm
FOV	34.0ft (6.5°)
Eye Relief	2.75~2.95"
Weight	17.6oz
Diopter	±2.5





NEW PRODUCT

ACTUS™ PISTOL SIGHT CORE-3



BATTERY	CR2032 * 1 ea
SIZE(In)	1.88 × 1.15 × 1.25
WEIGHT(Oz)	1.62
MATERIAL	7075-T6 ALUMINUM
COATING	MIL-A-8625 Type III, Hard Anodizing
CLICK ADJ.	1 MOA / 1 Click (U/D/R/L 60 MOA)
LED LEVEL	OFF / 1 ~ 2 Lv (Night) / 3 ~ 9 Lv (Day)
RETICLE	3 MOA (RED)
OPTICAL COATING	Anti-Reflex , Multilayer , NVD compatible
MAGNIFICATION	1x



NEW PRODUCT

ACTUS™ TACTICAL IR STROBE BANDI

BATTERY	CR123A
SIZE(In)	3.40 × 2.0 × 1.3
WEIGHT(Oz)	3.17
TEMPERATURE	-32° ~ +60°
WATER/DUST PROOF	IP 68, 50M 30 min
BATTERY LIFE	120 Hrs
MATERIAL	high strength polycarbonate(polymer)
IR light source	IR lamp - Various flashing signal methods (more than 4 types)
LED light source	LED 3 COLOR (WHITE, RED, GREEN)
IR synchronization	Manual synchronization of blinking patterns





NEW PRODUCT


ACTUS PRCWS

Portable Remote controlled Weapon Stations

SORA-1

Special Operations Reconnaissance Attack

It is a portable remote controlled weapon station which is being used in the military and can be mounted on 5.56mm rifles and machine guns to remotely monitor and fire short-distance/long-distance.



SIZE	401.5 * 354.4 * 155.3 (In)
WEIGHT	880.0 (Oz)
MATERIAL	Aluminum (Hard Anodizing)
TILT ANGLE	18° (UP) to -23° (DOWN)
PAN ANGLE	19° (RIGHT) to -19° (RIGHT)
POWER	220v (Battery 24v)
OPTICS	1-6x 24mm
CAMERA	1920X1080 , 2-mega pixel , 30fps
COMMUNICATION MODE	LTE, Optical/Wireless communication

** Specifications can be adjusted according to user needs

NEW PRODUCT

ACTUS™ MUZZLE BORESIGHT M26A2

MAGNIFICATION

10 x

FIELD OF VIEW

4.5°

FOCUSING EYEPIECE

±4.0 D

RETICLE

Crosshair 1 Mil Circle
0.05 mil line width

ACCURACY

0.05 mil (@ 1,000 m)





TEAMACTUS.COM
SUOPTICS

Head Office

7F, Building No. 2, 193, Jayumuyeok 3-gil, Masanhoewon-gu, Changwon-si,
Gyeongsangnam-do, Republic of Korea

E-MAIL | sales@suoptics.com **TEL** | +82-55-271-6070

Seoul Branch

#301, Hanwha Biz Metro 1-cha, 242, Digital-ro,
Guro-gu, Seoul, Republic of Korea

2nd Plant

132, Mugi 2-gil, Chirwon-eup, Haman-gun,
Gyeongsangnam-do, Republic of Korea

US Branch

950 Argaon Cir. Unit 5, Buena Park, CA 90620



PRECISELY LOCK IN EXACTLY WHERE YOU WANT YOUR SHOTS TO LAND

©Copyright 2022 SUOPTICS, CO.,LTD. all rights reserved.
SUOPTICS, ACTUS® are registered trademarks of SUOPTICS, CO.,LTD.

2022 CATALOG