Isafenest

Guangdong Isafenest Co., Ltd.



Contents



About us




Our Advantage



Our Honor



Our Products





About Us
Company Profile & Mission

Company Profile







Guangdong Isafenest Co., Ltd.

Guangdong Isafenest Co., Ltd. was established in December 2016 which is the wholly-owned subsidiary of Guangdong Letme Smart Home Technology Co., Ltd.

We specialize in home security, intelligent security system, smart fire protection products' research, design, production and sales. Products include various types of sensor detectors like smoke detector, CO detector and related multifunctional detector, also with smart alarms and systems.

The whole company is operated under the quality management system of ISO9001:2015. We have advanced detection facility and experienced R&D team to ensure that products fit for highly quality request.

We are committed to providing globalization's leading intelligent security and smart security integrated solutions.

Our mission




We concentrate on setting up Intelligent security system.



Innovation is the only way to meet the different needs of the market. Internet of Things is the trend to improve the living environment of human beings.



We are committed to providing leading environment smart home security solutions for each consumer.





Our Advantage

Our Team & Facilities

· Our tem

Our team have rich and professional experience in Technology research and development, engineering manufacturing, quality management to ensure that each product will achieve the top-ranking quality standard in the market.









With strong scientific research and technical strength and the accumulation of technological innovation & intellectual property, we already have many independent innovation invention patents and appearance patents.

We have first-class experimental testing instruments and strictly carry out testing standard in the industry.



Facilities

AWT Combined Smoke/Heat Detector Test Tunnel





This tunnel was imported from UK. The test tunnel feature exceptional airflow stability and test flexibility, it can simulate the human living environment to test product performance.

Facilities |



Programmable Constant Temperature and Humidity Test Chamber



Arm Drop Test Machine

Facilities |



Salt Spray Chamber



Vibration Tester

Facilities



Button Tester



Impact Test Machine

Facilities



Production Test Smoke Channel

Laboratory and Production Line









Work Shop







Production Line




Aging Test



Packing











ISO 9001:2015 quality management system certificate



Guangdong Province Enterprise of Observing Contract and Valuing Credit.





中国国家强制性产品认证证书

CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

证书编号: 2018081801001521

认证委托人: 佛山市安互安防科技有限公司 址:广东省佛山市顺德区容柱容里居委会昌宝西路 37 号天富来 国际工业城二期7座402之一

生产者: 佛山市安互安防科技有限公司(H007428)

址;广东省佛山市顺德区容柱容里居委会昌宝西路 37 号天富来 国际工业城二期 7座 402 之一

生产企业: 佛山市安互安斯科技有限公司

址:广东省佛山市顺德区容柱容里居委会昌宝西路 37 号天富来 国际工业城二期7座402之一

产品名称:独立式光电感烟火灾探测报警器

认证单元: LZ-1901

内含: LZ-1901(主型)

LZ-1903

产品认证实施规则: CNCA-C18-01: 2014

产品认证实施细则 : CCCF-HZBJ-01

产品认证基本模式。 型式试验 + 企业质量保证能力和产品一致性检查 +

获证后生产现场抽取样品检测或者检查 产 品 标 准: GB20517-2006

上述产品符合强制性产品认证实施规则 CNCA-C18-01: 2014、强制性产品 认证实施细则 CCCF-HZBJ-01 的要求。特发此证。

首次发证日期:2018-08-07

发(换)证日期: 2018年08月07日 有效期至: 2023年08月06日

本证书的有效性需依靠通过证后监督获得保持

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 和





PRODUCT CNAS C073-P



公安部消防产品合格评定中心

中国·北京市东城区水外西条新型甲108号 100077 http://www.eccf.net.en

A 0209029

CCC certificate of LZ-1901 and LZ-1903



中国国家强制性产品认证证书

CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

证书编号: 2018081801001522

认证委托人, 佛山市安互安防科技有限公司

址,广东省佛山市顺德区容柱容里居委会昌宝西路 37 号天富来 国际工业城二期7座402之一

产 者: 佛山市安互安防科技有限公司(H007428)

址:广东省佛山市顺德区容柱容里居委会昌宝西路 37 号天富来 国际工业城二期7座402之一

生产企业: 佛山市安互安防科技有限公司

址,广东省佛山市顺德区容柱容里居委会昌宝西路 37 号天富来 国际工业城二期7座402之一

产品名称:独立式光电感烟火灾探测报警器

认证单元: LZ-1902

内含: LZ-1902(主型)

产品认证实施规则: CNCA-C18-01: 2014

产品认证实施<code>细则: CCCF-HZBJ-01</code>

产品认证基本模式: 整式试验 + 企业质量保证能力和产品一致性检查 +

获证后生产现场抽取样品检测或者检查

产品标准: GB20517-2006

上述产品符合强制性产品认证实施规则 CNCA-C18-01: 2014、强制性产品

认证实施细则 CCCF-HZBJ-01 的要求,特发此证。

首次发证日期:2018-08-07

发(换)证日期: 2018年08月07日 有效期至: 2023年08月06日

本证书的有效性需依靠通过证后监督获得保持

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 和

中国消防产品信息网站 www.cccf.com.cn查询





PRODUCT **CNAS C073-P**




公安部消防产品合格评定中心 中國 * 北京市东城区永外西草新里甲 108 号 100077 http://www.cccf.net.en

A 0209032

CCC certificate of LZ-1902







Notified Body No. 2831

BRE Global Assurance (Ireland) Limited DCU Alpha, Old Finglas Road Glasnevin, Dublin, D11 KXN4 Ireland T: +353 (0) 18824344 E: enquiries@breglobalireland.ie

Certificate of constancy of performance 2831-CPR-F2474

In compliance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council of 9th March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

LZ-1901 Battery Operated Photoelectric Smoke Alarm (Replaceable Battery)
(For full product details and conditions of use refer to appendix)

Placed on the market under the name or trade and produced in the manufacturing plant(s): mark of:

Guangdong Isafenest Co., Ltd Rm 402, Building 7, Tianfulai II No 37 Changbao West Road, Ronggui Shunde, Foshan City, Guangdong

528305

China

Guangdong Isafenest Co., Ltd Rm 402, Building 7, Tianfulai II No 37 Changbao West Road, Ronggui Shunde, Foshan City, Guangdong 528305 China

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 14604: 2005 - Smoke Alarm Devices

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure

the constancy of performance of the construction product.

This certificate was first issued on 17 August 2020 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

P Halligan, Certification Engineer Date of Issue: 17 August 2020

On behalf of BRE Global Assurance (Ireland) Limited Issue number 01

To check the validity of this certificate, please contact us on +353 (0) 18824344 or email enquiries@breglobalireland.ie

BF1938i Rev.1.0 Page 1 of 2 © BRE Global Assurance (Ireland) Limited, 2020







BRE Global Ireland

Notified Body No. 2831

BRE Global Assurance (Ireland) Limited DCU Alpha, Old Finglas Road Glasnevin, Dublin, D11 KXN4

T: +353 (0) 18824344 E: enquiries@breglobalireland.ie

Certificate of constancy of performance 2831-CPR-F2475

In compliance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council of 9th March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

LZ-1902 Battery Operated Photoelectric Smoke Alarm (Replaceable Battery) (For full product details and conditions of use refer to appendix)

Placed on the market under the name or trade

Guangdong Isafenest Co., Ltd Rm 402, Building 7, Tianfulai II No 37 Changbao West Road, Ronggui Shunde, Foshan City, Guangdong China

and produced in the manufacturing plant(s):

Guangdong Isafenest Co., Ltd Rm 402, Building 7, Tianfulai II No 37 Changbao West Road, Ronggui Shunde, Foshan City, Guangdong China

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 14604: 2005 - Smoke Alarm Devices

On behalf of BRE Global Assurance (Ireland) Limited

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure

the constancy of performance of the construction product.

This certificate was first issued on 17 August 2020 and will remain valid as long as neither the harmonised standard. the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

P Helligan. Date of First Issue: 17 August 2020 P Halligan, Certification Engineer Date of Issue: 17 August 2020

To check the validity of this certificate, please contact us on +353 (0) 18824344 or email enquiries@breglobalireland.ie

BF1938i Rev.1.0 Page 1 of 2 © BRE Global Assurance (Ireland) Limited, 2020

BRE Global Ireland

Notified Body No. 2831

BRE Global Assurance (Ireland) Limited DCU Alpha, Old Finglas Road Glasnevin, Dublin, D11 KXN4

> T: +353 (0) 18824344 E: enquiries@breglobalireland.ie www.breglobalireland.ie

Certificate of constancy of performance 2831-CPR-F2476

In compliance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council of 9th March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

LZ-1903 Battery Operated Photoelectric Smoke Alarm (Replaceable Battery) (For full product details and conditions of use refer to appendix)

Placed on the market under the name or trade mark of

Guangdong Isafenest Co., Ltd Rm 402, Building 7, Tianfulai II No 37 Changbao West Road, Ronggui Shunde, Foshan City, Guangdong 528305 China

and produced in the manufacturing plant(s):

Guangdong Isafenest Co., Ltd Rm 402, Building 7, Tianfulai II No 37 Changbao West Road, Ronggui Shunde, Foshan City, Guangdong China

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 14604: 2005 - Smoke Alarm Devices

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure

the constancy of performance of the construction product.

This certificate was first issued on 17 August 2020 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

P. Helligan. Date of First Issue: 17 August 2020 P Halligan, Certification Engineer Date of Issue: 17 August 2020 On behalf of BRE Global Assurance (Ireland) Limited

To check the validity of this certificate, please contact us on +353 (0) 18824344 or email enquiries@breglobalireland.ie







BRE Global Ireland

Notified Body No. 2831 BRE Global Assurance (Ireland) Limited DCU Alpha, Old Finglas Road Glasnevin, Dublin, D11 KXN4 T: +353 (0) 18824344 E: enquiries@breglobalireland.ie www.breglobalireland.ie

Certificate of constancy of performance 2831-CPR-F2602

In compliance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council of 9th March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

LZ-1921 Battery Operated Photoelectric Smoke Alarm (10 Year Irreplaceable Battery) (For full product details and conditions of use refer to appendix)

Placed on the market under the name or trade

and produced in the manufacturing plant(s):

Guangdong Isafenest Co., Ltd Rm 402, Building 7, Tianfulai II No 37 Changbao West Road, Ronggui Shunde, Foshan City, Guangdong 528305 China

Guangdong Isafenest Co., Ltd Rm 402, Building 7, Tianfulai II No 37 Changbao West Road, Ronggui Shunde, Foshan City, Guangdong China

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 14604:2005/AC:2008 - Smoke Alarm Devices

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure

the constancy of performance of the construction product.

This certificate was first issued on 17 August 2020 and will remain valid as long as neither the harmonised standard. the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

P Halligan. Date of First Issue: 17 August 2020 P Halligan, Certification Engineer Date of Issue: 17 August 2020

On behalf of BRE Global Assurance (Ireland) Limited Issue number

To check the validity of this certificate, please contact us on +353 (0) 18824344 or email enquiries@breglobalireland.ie

BF1938i Rev.1.0 Page 1 of 2 © BRE Global Assurance (Ireland) Limited, 2020

BRE Global Ireland

Notified Body No. 2831 BRE Global Assurance (Ireland) Limited DCU Alpha, Old Finglas Road Glasnevin, Dublin, D11 KXN4 T: +353 (0) 18824344 E: enquiries@breglobalireland.ie www.breglobalireland.ie

Certificate of constancy of performance 2831-CPR-F2603

In compliance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council of 9th March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

LZ-1922 Battery Operated Photoelectric Smoke Alarm (10 Year Irreplaceable Battery) (For full product details and conditions of use refer to appendix)

Placed on the market under the name or trade

Guangdong Isafenest Co., Ltd Rm 402, Building 7, Tianfulai II No 37 Changbao West Road, Ronggui Shunde, Foshan City, Guangdong 528305

and produced in the manufacturing plant(s):

Guangdong Isafenest Co., Ltd Rm 402, Building 7, Tianfulai II No 37 Changbao West Road, Ronggui Shunde, Foshan City, Guangdong China

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 14604:2005/AC:2008 - Smoke Alarm Devices

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure

the constancy of performance of the construction product.

This certificate was first issued on 17 August 2020 and will remain valid as long as neither the harmonised standard. the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

P. Halligan.

China

Date of First Issue: 17 August 2020

P Halligan, Certification Engineer

On behalf of BRE Global Assurance (Ireland) Limited

17 August 2020

To check the validity of this certificate, please contact us on +353 (0) 18824344 or email enquiries@breatobalireland.ie BF1938i Rev.1.0 Page 1 of 2 © BRF Global Assurance (Ireland) Limited 2020







Anerkennung **Approval**

von Bauteilen und Systemen

of Components and Systems

CN-528300 Foshan City, Guandong Province

Rauchwarnmelder mit erhöhten Leistungsmerkmalen /

in residential buildings, apartments and rooms with similar

Smoke alarm device with increased performance

in Wohnhäusern, Wohnungen und Räumen mit

wohnungsähnlicher Nutzung

Aserkennungsgrundlagen / Basis of the Approval

EN 14604:2005 + AC:2008

VdS 2344:2014-07

VdS 3131:2010-05

vfdb 14/01:2010-05

02.06.2020

Guangdong Isafenest Co. Ltd.

Ronggui, Shunde

G 220023

LZ-1921

purposes

characteristics

Rm402, Build.7, Tianfulai II, No. 37 Changbao West Rd.,

01.06.2024

specified component/system as submitted for testing

- documented in the technical documents according to enclo

Köln, den 02.06.2020



Dr. Reinermann

ppa. Bellingen



das angegebene Bautei (/System in der zur Prüfung eingereichten Ausführung

- mit den Bestandteilen nach
- Anlage 1,

 dekumentiert in den technischen
 Unterlagen nuch Anlage 2,

 auf Verwendung in den angegebeten Einrichtungen der Brandschutz-und Sicherungstechnik,

This Approval is valid only for the

- together with the parts listed in
- for the use in the specified fire

Ein Unternehmen des Gesamt-nerbandes der Deutschen Ver-sicherungswirtschaft e.V. (BDV), durch die DMkS akkrediziert ale Zeräfsberungsstelle für Predukt in den Bereichen Brandschutz und Scheungsstellebil.





Anerkennung Approval

von Bauteilen und Systemen of Components and Systems

Guangdong Isafenest Co. Ltd. Rm402, Build.7, Tianfulai II, No. 37 Changbao West Rd., CN-528300 Foshan City, Guandong Province

Anerkennungs-Nr. / Approval No.	Arzahl der Seiten / No. of pages	gültig vom [TT.MM.JJJJ] / valid from [dd.mm.yyyd	valid until lidi.mm.yyyl 01.06.2024	
G 220024	6	02.06.2020		

Rauchwarnmelder mit erhöhten Leistungsmerkmalen / Smoke alarm device with increased performance characteristics LZ-1922

in Wohnhäusern, Wohnungen und Räumen mit wohnungsähnlicher Nutzung

in residential buildings, apartments and rooms with similar

Anerkennungsgrundlagen / Basis of the Approval VdS 2344:2014-07 VdS 3131:2010-05 EN 14604:2005 + AC:2008 vfdb 14/01:2010-05



Dr. Reinermann



- mit den Bestandteilen nach Anlage 1,
 dokumenhiert in den technischen Unterlagen nach Anlage 2,
 zur Verwendung in den angege-benen Einrichbungen der Brand-schutz-und Sicherungstechnik.

standes der Anerkennung sind die Hinweise nach Anlage 3 zu besichten.

specified component/system as submitted for testing

- together with the parts listed in enclosure 1

 documented in the technical documents according to enclo

shall be reported at once to the VdS certification body including the required documentation.

Köln, den 02.06.2020



Leiter der Zertifizierungsst Head of Certification Body









SAI Global hereby grants:

Guangdong Isafenest Co.,Ltd.

Room 402, Building 7, Tianfulai II, No.37 Changbao West Road, Ronggui, Shunde, Foshan City, Guangdong, Guangdong China

StandardsMark Licence

Manufactured to:

AS 3786-2014 - Smoke alarms using scattered light, transmitted light or ionization

"the StandardsMark Licensee" the right to use the STANDARDSMARK as shown below only in respect of the goods described and detailed in the Schedule which are produced by the Licensee or on behalf of the Licensee* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the STANDARDSMARK and the Terms and Conditions for certification and licence. The Licensee covenants to comply with all the Rules and Terms and Conditions.

Licence No: SMK40822

Issued: 18 December 2018

Originally Certified: 18 December 2018 Current Certification: 18 December 2018

General Manager Technical Services SAI Global Assurance





* For details of manufacture, refer to the licensee
The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited
(A.C.N. 505 644 642) and is issued under license by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney
NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com. for the list of product models.



SCHEDULE TO STANDARDSMARK LICENCE

SAI Global hereby grants:

Guangdong Isafenest Co.,Ltd.

Room 402, Building 7, Tianfulai II, No.37 Changbao West Road, Ronggui, Shunde, Foshan City, Guangdong, Guangdong China

StandardsMark Licence

Manufactured to:

AS 3786-2014 - Smoke alarms using scattered light, transmitted light or ionization

Model identification of the goods on which the STANDARDSMARK may be used:

Model Name	Distributor	Distributor Model	Principle	Primary Power	Backup Battery	Features	Date Endorsed
LZ- 1901	Guangdong Isafenest	LZ-1901	Photoelectric	9V Battery	None	None	18 Dec 2018
LZ- 1902	Guangdong Isafenest	LZ-1902	Photoelectric	9V Battery	None	None	18 Dec 2018
LZ- 1903	Guangdong Isafenest	LZ-1903	Photoelectric	9V Battery	None	Hush	18 Dec 2018

Licence No: SMK40822

Issued Date: 18 December 2018

This schedule supersedes all previously issued schedules



The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (A.C.N. 051 (Global) 1800 George Street, Sydney NSW 2000, GPO Box 0420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon this request. Refer to the Schedule for the list of product models.



^{*} For details of manufacture, refer to the licensee



Certificate of constancy of performance

according to Regulation (EU) No. 305/2011

Certificate No.:

1008-CPR-MC 69261734 8001

Report No.:

28249002 001

Applicant:

Guangdong Isefenest Co., Ltd.

Hm402, Building 7, Tianfulmi II, No. 37 Changheo West Road, Honggui, Shunde, Foshan City, Guangdong, 528305, Chine

Manufacturer:

Guangdong Issfenest Co., Ltd.

Bm402, Building 7, Tienfulai II, No. 37 Changbec West Boad, Broggsi, Shunde, Foshan City, Guangdong, 528305, China

Manufacturing plant:

Quangdong Isafenset Co., Ltd.

RadO2, Building 7, Tianfulai 51, No. 37 Changban West Hoad, Bonggui, Shonde, Foshan City, Quanghing, 526305, China

Snoke alare

Product:

cation: L2-1951, L2-1951A, L2-1951B Photoelectric Smoke Alarm
Intended use Household smoke detection

FFC Report No.: 29249001 001

Test report: 50215771 001

System of assessment and verification:

Tested according to:

EN 14604:2005/AC:2008

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performance described in Annex ZA of the above standard(s) under above system are applied and the product fulfills all the prescribed requirements and out above.

This certificate was first issued on 2019-03-29 and will remain valid until the best restitude and/or factory production control requirements included in the standard, used to assess the parformance of the declared characteristics, and the product, and the manufacturing conditions in the plant are uschanged. The manufacturing plant and factory production control system of the manufacturier is supervised regularly by the Certification Body.

Date of issue:

Budspett 2019-03-29

TOV Rheinland InterCert KR., Product Certification Body — IH-1122 Budspeet, Vaci of Jack Antongary — www.hzv.com Novified Body No. 1608

TT 01-T30a_7_0

Validity of certificate can be checked on your CERTIFECIA com-



Certificate of constancy of performance

according to Regulation (EU) No. 305/2011

Certificate No.: 1008-CPR-MC 69261667 8001

Report No.: 28248870 001

Applicant: Quangdong Isafenest Co., Ltd.

Rm402, Building 7, Tienfulat II, No. 37 Champhan West Boad, Bonggui, Shunde, Foshan City, Guangdong, 528305, China

Manufacturer: Ouangdong Issfenest Co., Ltd.

ReeD2, Building 7, Tianfulmi II, No. 37 Changbeo West Road, Ronggui, Shunde, Foshan City, Guangdong, 529305, China

Manufacturing plant: Guangdong Isafenest Co., Ltd.

ReaD2, Building 7, Tianfuls: II, No. 37 Changban West Road, Ronggui, Shunde, Foshan City, Guangeong, 528305, China

Product: Scoke slare

Identification: L2-1905, LE-1906 Photoelectric Smoke Alarm Intended use: Household smoke detection

> PPC Report No.: 28248869 001 Test report: 50190685 001

System of assessment and verification:

Tested according to: EN 14604:2005/AC:2008

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performance described in Annex 2A of the above standard(s) under above system are segited and the product fulfile all the prescribed requirements set out above.

This contificate was first issued on 2018-01-23 and will remain valid until the test methods and/or factory production control requirements included in the standard, used to assess the performance of the desarred conceptors, and the product, and the manufacturing conditions in the plant are unchanged. The manufacturing plant and factory production control system of the manufacturer is supervised regularly by the Certification Body.

Date of issue:

Budapest, 2019-03-22

Zultar Schieger

Zultar Schieger

TDV Rheinland interCert KA. Product Certification Body — H-1132 Bustapent, Visc id 48M-8, Transpary — www.hvr.com

Notified Body No. 1008

17.01.73(e.7.0 Validity of certificate can be checked on page CERTIPETIA.com









Kitemark™ Certificate

This is to certify that: Guangdong Isafenest Co.,Ltd.

Rm402, Building7, Tianfulai II NO.37 Changbao West Road Ronggui,Shunde Foshan City Guangdong China

Holds Certificate Number: KM 724020

In respect of:

BS EN 50291-1 Electrical apparatus for the detection of carbon monoxide in domestic premises

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Frank Lee, Product Certification Technical and Compliance Director

 First Issued: 2022-01-07
 Effective Date: 2022-01-07

 Latest Issue: 2022-01-07
 Expiry Date: 2025-01-06

Page: 1 of 2

...making excellence a habit."

This certificate has been issued by and remains the property of BST Assurance UK Ltd, Kitsmark Court, Davy Avenue, Knowlhill, Milton Keynes MKS BPP, United Kingdom and should be returned immediately upon request.

To check its allight telephone + 44(0) 345 009 9000, an electronic certificate can be suthersticated online.

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK. A member of BSI Group of Companies. Kitemark™ Certificate

No. KM 724020

BS EN 50291-1: 2018 - Electrical apparatus for the detection of carbon monoxide in domestic premises.

Battery Powered Carbon Monoxide Alarms

Model Reference Type

LZ-2902 Type B Battery Powered Carbon Monoxide Alarm with Digital Display and Non-User

Replaceable Lithium Battery


First Issued: 2022-01-07 Latest Issue: 2022-01-07 Effective Date: 2022-01-07 Expiry Date: 2025-01-06

Page: 2 of 2

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kiternark Court, Davy Avenue, Knowlhill, Millton Keynes MKS 8PP, United Kingdom and should be returned immediately upon request.

To check its wallight stephone +4 (ii) 345 609 9000, An electronic certificate can be authenticated grating.

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK. A member of BSI Group of Companies.





Our Products



Stand Alone Smoke alarm, battery replaceable. With CCCF, LPCB, SAI certification



CCCF Certificate number: 2018081801001521

LPCB Licence No.: 1471a/01

SAI Lic SMK40882

Stand Alone Smoke Alarm

- •1 year battery life time
- DC 9V battery operated
- •Photoelectric chamber of early detection from all directions.
- Loud>85db(A)alarm signal(3M)
- Flash alarm indicator(red LED)
- Test Button
- Low Battery signal
- •Replaceable battery 1Y/3Y/5Y
- •N.W.: ≈124g (include battery)
- •Dimensions: Φ100*37mm









CCCF Certificate number: 2018081801001522

LPCB Licence No.: 1471a/02

SAI Lic SMK40882

Stand Alone Smoke Alarm

- •1 year battery life time
- DC 9V battery operated
- •Photoelectric chamber of early detection from all directions.
- Loud>85db(A)alarm signal(3M)
- Flash alarm indicator(red LED)
- Test Button
- Low Battery signal
- •Replaceable battery 1Y/3Y/5Y
- N.W.: ≈ 126g (include battery)
- Dimensions: Φ100*37mm









CCCF Certificate number: 2018081801001521

LPCB Licence No.: 1471a/03

SAI Lic SMK40882

Stand Alone Smoke Alarm

- •1 year battery life time
- DC 9V battery operated
- •Photoelectric chamber of early detection from all directions.
- Loud>85db(A)alarm signal(3M)
- Flash alarm indicator(red LED)
- Test/Hush associative button
- Low Battery signal
- •Replaceable battery 1Y/3Y/5Y
- N.W.: ≈ 125g (include battery)
- Dimensions: Φ100*37mm









CCCF Certificate number: 2019081801000574 TUV Certificate number: 1008-CPR-MC 69261667

0001

Stand Alone Smoke Alarm

- •1 year battery life time
- DC 9V battery operated
- •Photoelectric chamber of early detection from all directions.
- Loud>85db(A)alarm signal(3M)
- Flash alarm indicator(red LED)
- Test/Hush associative button
- Low Battery signal
- •Replaceable battery 1Y/3Y/5Y
- N.W.: ≈136g (include battery)
- Dimensions: Φ100*36.5mm







CCCF Certificate number: 2019081801000574 TUV Certificate number: 1008-CPR-MC 69261667

0001

Stand Alone Smoke Alarm

- •1 year battery life time
- DC 9V battery operated
- •Photoelectric chamber of early detection from all directions.
- Loud>85db(A)alarm signal(3M)
- Flash alarm indicator(red LED)
- Test/Hush associative button
- Low Battery signal
- •Replaceable battery 1Y/3Y/5Y
- •N.W.: ≈126g (include battery)
- •Dimensions: Φ120*34.7mm







AC + DC back up Smoke alarm

- •AC 240V with DC 9V battery backup
- •Photoelectric chamber of early detection from all directions.
- •Loud>85db(A) alarm signal(3M)
- Suitable for Ceiling or Wall Mounting
- •Operate as Single or Inter-connect up to 24 units
- •Surface mount base plate with large cable terminals
- •Red LED Alarm Status indication
- •Green LED AC Mains Power Indication
- Low Battery signal
- •Insect Screen protects Sensing Chamber
- N.W.: ≈255g
- Dimensions: Φ120*46mm





AC + DC back up Smoke alarm

- •AC 240V with DC 9V battery backup
- •Photoelectric chamber of early detection from all directions.
- •Loud>85db(A) alarm signal(3M)
- Suitable for Ceiling or Wall Mounting
- •Operate as Single or Inter-connect up to 24 units
- •Surface mount base plate with large cable terminals
- •Red LED Alarm Status indication
- •Green LED AC Mains Power Indication
- Low Battery signal
- •Insect Screen protects Sensing Chamber
- N.W.: ≈214g
- Dimensions: Φ120*43mm





LPCB Licence No.: 1471a/03 VDS Licence No.: G 220023

Stand Alone Smoke Alarm

Description

- •10 years life time
- •1 non-replaceable 3V lithium battery
- Photoelectric chamber of early detection from all directions.
- Loud>85db(A) alarm signal(3M)
- •Big test button for easy operation
- Hush function

Licence No.1471a/04

- Low Battery signal
- Automatic calibration instead of adjustable resistor
- •Infra-red LED and more sensitive photo-diode
- N.W.: ≈104g (include battery)
- Dimensions: Φ100*36mm







LPCB Licence No.: 1471a/03 VDS Licence No.: G 220024

Stand Alone Smoke Alarm

- •10 years life time
- •1 non-replaceable 3V lithium battery
- Photoelectric chamber of early detection from all directions.
- Loud>85db(A) alarm signal(3M)
- •Big test button for easy operation
- Hush function
- Low Battery signal
- Automatic calibration instead of adjustable resistor
- Infra-red LED and more sensitive photo-diode
- •N.W.: ≈98g (include battery)
- Dimensions: Φ100*35mm










CCCF Certificate number: 2019081801001021

TUV Certificate number : 1008-CPR-MC 69261734 0001

Mini Stand Alone Smoke Alarm

- •10 years battery life time
- •3V (incorporating non-replaceable lithium battery)
- Photoelectric sensing self-check
- Loud>85db(A) alarm signal(3M)
- Flash alarm indicator(red LED)
- Test button
- Low Battery signal
- Local alarm memory
- •Nine-minute timer for nominal silence mode
- •End of life indicator
- •N.W.:56g(include battery)
- Dimensions: Φ46*50mm







CCCF Certificate number: 2019081801001021

TUV Certificate number : 1008-CPR-MC 69261734 0001

Mini Stand Alone Smoke Alarm

- •10 years battery life time
- •3V (incorporating non-replaceable lithium battery)
- Photoelectric sensing self-check
- Loud>85db(A) alarm signal(3M)
- Flash alarm indicator(red LED)
- Test button
- Low Battery signal
- Local alarm memory
- •Nine-minute timer for nominal silence mode
- •End of life indicator
- •N.W.:56g(include battery)
- Dimensions: Φ46*50mm







CCCF Certificate number: 2019081801001021

TUV Certificate number : 1008-CPR-MC 69261734 0001

Mini Stand Alone Smoke Alarm

- •10 years battery life time
- •3V (incorporating non-replaceable lithium battery)
- Photoelectric sensing self-check
- Loud>85db(A) alarm signal(3M)
- Flash alarm indicator(red LED)
- Test button
- Low Battery signal
- Local alarm memory
- •Nine-minute timer for nominal silence mode
- •End of life indicator
- •N.W.:56g(include battery)
- Dimensions: Φ46*50mm








TUV Certificate number: 1008-CPR-MC 69262622

Stand Alone Smoke Alarm

- DC 3V (non-replaceable battery)
- 10 years life time
- Sensor Type : Photoelectric
- Loud>85db(A) alarm signal(3M)
- Modern Design
- Flash alarm indicator(red LED)
- Test/Hush button
- Low Battery warning
- End-of-life indicator
- Dimensions: L111*W111*H42mm










TUV Certificate number: 1008-CPR-MC 69262622

Smart Smoke Alarm

- 10 year battery life for device and 3 years life time for replaceable battery
- 1 3V non-replaceable lithium battery + 1 3V replaceable lithium battery
- Sensor Type : Photoelectric
- Loud>85db(A) alarm signal(3M)
- Modern Design
- Flash alarm indicator(red LED)
- Test/Hush button
- Low Battery warning
- End-of-life indicator
- Wireless module: WiFi
- Dimensions: L111*W111*H42mm









TUV Certificate number: 1008-CPR-MC 69262622

Smart Smoke Alarm


Description

10 year battery life for device and 3 years life time for replaceable battery

- 1 3V non-replaceable lithium battery + 1 3V replaceable lithium battery
- Sensor Type : Photoelectric
- Loud>85db(A) alarm signal(3M)
- Modern Design
- Flash alarm indicator(red LED)
- Test/Hush button
- Low Battery warning
- End-of-life indicator
- Wireless module: Zigbee
- Communication distance(Zigbee): 100m(open field)
- Dimensions: L111*W111*H42mm









BSI Certificate number: KM 724020

CO Detector

- DC 3V (non-replaceable battery)
- 10 years battery life time
- Sensor Type : Electrochemical Figaro CO Sensor
- Loud>85db(A) alarm signal(3M)
- Power/Fault/Alarm indicator
- Visual LED for power and alarm
- Test/Menu button
- Low Battery warning
- Product life time:10 years after initial power up
- LED display range: 20~999PPM
- End-of-life indicator
- Sensitivity Setting: Conforms to BS EN 50291- 1:2018 standard
- Maximum concentration memory function



Choosing us, choosing below competitive advantages!

- With a very strong R&D team, all of them have many years experience in security products field.
- High quality products which with CCCF, LPCB, SAI, ACTIVFIRE certificate and VdS, NF and TUV are in pending.
- 3 Competitive price which will help you to seize the market.
- 4 Quick response and highly responsible service team.

