



AN ISO 9001: 2015, ISO 14001:2015, ISO 4500 :2018, SA 8000:2014 CERTIFIED COMPANY

TECHNOMECH IMPEX

A name in quality products.....

A GOVT. RECOGNIZED STAR EXPORT HOUSE

- **Tractor Linkage Parts**
- **Hardware Goods**
- **Industrial Fasteners**
- **Agriculture Implements**
- **Engineering Goods**



**Mfrs. & Exporters of : All Type Of Tractor Linkage Parts
Agriculture Implements, Fasteners & Engineering Goods**

UNIT-I, A-12, Premier Industrial Complex, Nichi Mangali, Chd., Road, Ludhiana-141010 Punjab(India)
UNIT-II, Plot No. 6, 7, 8, Premier Industrial Complex, Nichi Mangali, Chd., Road, Ludhiana-141010 Punjab(India)

Contact : +91-161-2910330,+91-93160-77896, +91-98880-96998+91-94174-96998

E-mail: bhsaini@technomechimpex.com, sales@technomechimpex.com info@technomechimpex.com

Visit us at : www.technomechimpex.com

Packing (Blister, Assortment & Cardboard) As per customers specification



Lubrication Product



Fluid Transfer Pump



Rotary Barrel Pump



Grease Gun Pipe
Fuel & Pressure Pipes
Benjo & Unions



Oil Cans & Plastic Oil Cans



Portable Fluid Pump



Grease Guns



Oil Cans



Grease Nipples

Tractor Linkage Parts



U-Bolts (Round & Square)
Size : M6 to M20



3 Point Linkage Kit
Complete & Brackets
and Connectors



Brackets



Connectors



Tool Box



Harrow Discs



Fuel Brass Tee



Mild Links



Quick Links



Clives Hooks



Top & Side Wind Jacket



Bushes



Benjo Bolts / Oil Bolts



Drawbar & Straight
Clives Hooks



Chain Shackle &
Twisted Clives

Tractor Linkage Parts



Linch Pins Standard & Pear Shapes
Size : 4.5mm to 12mm



A. Linch Pin Heavy Duty
Size : 4.5mm to 12mm
B. Forged Linch Pin
Size : 11mm to 16mm




A. P.T.O. Pins Round
Size : 6mm to 12mm
B. P.T.O. Pins Square
Size : 6mm to 12mm



A. Linch Pin With Chain
Size : 4.5mm to 12mm
B. Tube Linch Pin with Chain
Size : 6mm to 12mm



A. Spring Pin Single Spire
Size : 1mm to 10mm
B. Spring Pin Double Spire
Size : 1.4mm to 10mm



A. Bent Hitch Pins
B. Safety Hitch Pins
Size 9.5mm to 32mm



Lower Link Pins
Size : 16mm to 36mm



Top Link Pins
Size : 16mm to 32mm



Clevis Pins
Size : 6mm to 32mm



Hitch Pins Folded & Fix Handle
Size : 12mm to 32mm



Pins with Different Handle
Size : 12mm to 32mm



A. Bent Handle Pins with Chain
Size : 16mm to 32mm
B. Implement Pins
Cat 1, 2, 3



Safety Pins
Size : 1.2mm to 8mm



A. Tube Linch Pins
Size : 4.5mm to 12mm
B. Spring Linch Pins
Size : 8mm to 10.5mm



Hitch Pin Vinyl Handle
Size : 12mm to 38mm

Tractor Linkage Parts



Top Links Golden/Blue Painted
Cat 1,2,3



Top Links Red/Black PC
Cat 1,2,3



A Top Link Grey Colour
Cat 1,2,3
B. Top Link With Star Nut
Cat 1,2,3



A. Leveling Assembly
IMT 539
B. Fix Leveling Assy.
MF



A. Leveling Assembly
URSUS
B. Leveling Assembly



Draw Bars
Size : Cat 1, 2, 3



Lower Link Arms
Size : Cat 1, 2, 3



Hitch Balls
(Internal & External Threads)



Top Link Ends Complete



Lower Link Weld on Ends
Cat 1, 2, 3 & 4



A. Top Link Balls
B. Lower Link Balls
Cat 1, 2, 3



Guide Cone Balls
Cat 1, 2/3, 3



Stabilizer Chain Assembly



Forged and Sheet Shackles



A. Silencer Clamps
B. U-Bolt with Plate & Nuts

TECHNOMECH IMPEX

A Name of Quality Products

AN ISO 9001 : 2015 CERTIFIED COMPANY



Tractor Linkage Parts



E-Mail : info@technomechimpex.com
E-Mail : bhsaini@technomechimpex.com

Visit us at : www.technomechimpex.com



TECHNOMECH IMPEX
INDIA

E-mail: bhsaini@technomechimpex.com, sales@technomechimpex.com
info@technomechimpex.com, Visit us at :www.technomechimpex.com